















RANGE OF PAVING BRICKS

PRODUCTS	TYPE	DIMENSION (MM)	MAIN PARAMETER	APPLICATION
Red Smooth (Rough) Paving Brick		210 x 104 x 40 200 x 99 x 50 230 x 114 x 50 235 x 116 x 50 240 x 116 x 50	40Compressive Strength \geq 40Mpa 50Compressive Strength \geq 60Mpa Water Absorption \leq 8% Mass loss (Freeze /Melt) \leq 2%	
Brown Smooth (Rough) Paving Brick		210 x 104 x 40 200 x 99 x 50 230 x 114 x 50 235 x 116 x 50 240 x 116 x 50	40Compressive Strength \geq 40Mpa 50Compressive Strength \geq 60Mpa Water Absorption \leq 8% Mass loss (Freeze /Melt) \leq 2%	
Gray Smooth (Rough) Paving Brick		200 x 99 x 50 230 x 114 x 50 235 x 116 x 50 240 x 116 x 50	Compressive Strength \geq 60Mpa Water Absorption \leq 8% Mass loss (Freeze /Melt) \leq 2%	
Yellow Smooth Paving Brick		200 x 99 x 50 230 x 114 x 50 235 x 116 x 50 240 x 116 x 50	Compressive Strength \geq 60Mpa Water Absorption \leq 8% Mass loss (Freeze /Melt) \leq 2%	
Ivory Smooth Paving Brick		200 x 99 x 50 240 x 116 x 50	Compressive Strength \geq 60Mpa Water Absorption \leq 8% Mass loss (Freeze /Melt) \leq 2%	
Cyan Paving Brick		200 x 99 x 50 230 x 114 x 50	Compressive Strength \geq 60Mpa Water Absorption \leq 8% Mass loss(Freeze /Melt) \leq 2%	

<p>Brown Dry Wall KP1 Hollow Brick</p>		<p>240 x 90 x 50 240 x 90 x 90 240 x 115 x 53 240 x 115 x 90</p>	<p>Compressive Strength > 200# Water Absorption 6 -- 8% Heat Conduction Coefficient 0.265</p>	
<p>Red Dry Wall KP1 Hollow Brick</p>		<p>240 x 115 x 90</p>	<p>Compressive Strength > 200# Water Absorption 6 -- 8% Heat Conduction Coefficient 0.265</p>	
<p>Yellow Dry Wall KP1 Hollow Brick</p>		<p>240 x 90 x 50 240 x 90 x 90 240 x 115 x 53 240 x 115 x 90</p>	<p>Compressive Strength > 200# Water Absorption 6 -- 8% Heat Conduction Coefficient 0.265</p>	
<p>Red Garden & Landscape Brick</p>		<p>175 x 175 x 50</p>	<p>Water Absorption ≤ 8% Mass loss (Freeze /Melt) ≤ 2%</p>	
<p>Red Brown Strip Garden & Landscape Brick</p>		<p>200 x 50 x 50 235 x 50 x 50</p>	<p>Compressive Strength ≥ 60Mpa Water Absorption ≤ 8% Mass loss (Freeze /Melt) ≤ 2%</p>	
<p>Ivory Blind Road Brick</p>		<p>240 x 116 x 50</p>	<p>Compressive Strength ≥ 30Mpa Water Absorption ≤ 8% Mass loss (Freeze /Melt) ≤ 2%</p>	
<p>Yellow Blind Road Brick</p>		<p>200 x 200 x 50 235 x 240 x 50 240 x 200 x 50 240 x 235 x 50</p>	<p>Compressive Strength ≥ 30Mpa Water Absorption ≤ 8% Mass loss (Freeze /Melt) ≤ 2%</p>	
<p>Red Brown Yellow Shadow Manual Face Brick</p>		<p>200 x 99 x 40 230 x 114 x 40</p>	<p>Radioactivity ≤ 1 Water Absorption ≤ 8% Mass loss (Freeze /Melt) ≤ 0.5%</p>	

<p>Gray Red Brown Yellow</p> <p>Thin Type</p> <p>Face Brick</p>		<p>200 x 50 x 12</p> <p>230 x 50 x 12</p>	<p>Radioactivity\leq1</p> <p>Water Absorption\leq8%</p> <p>Mass loss (Freeze /Melt)\leq0.5%</p>	
-----------------------------------------------------------------	-----------------------------------------------------------------------------------	-------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------